

# Perennial Ryegrass Forage Value List



Evaluation date: Jan 2020



**Cultivars are sorted by star rating and then alphabetically. Note:**

- Perennial ryegrass FVI is calculated using cultivar specific seasonal DM (DM) data, functional group average metabolisable energy (ME) content data and ploidy group average persistence trait data.
- Cultivars with SE are not recommended as they can cause ryegrass staggers in summer and may reduce milksolid production at this time.

Filtered by: LOWER NORTH ISLAND, PERENNIAL RYEGRASS/AR1/AR37/NEA/NEA2/SE/UNKNOWN/WE, DIPLOID/TETRAPLOID, LATE/VERY LATE

FVI <sup>1</sup> (Star rating)	FVI Star Rating (\$/ha)	Cultivar	Performance Values (1-5 rating) Seasonal dry matter (DM)					Performance Values <sup>3</sup>					PERSISTENCE SCALERS/COSTS		Other Cultivar Information				
			Winter	Early Spring	Late Spring	Summer	Autumn	Winter	Early Spring	Late Spring	Summer	Autumn	Persistence Scaler <sup>4</sup>	Relative renewal cost (\$/ha) <sup>5</sup>	Endo <sup>6</sup>	Ploidy <sup>7</sup>	HD <sup>8</sup>	Marketer	Conf <sup>9</sup>
★★★★	\$423 to \$541	ABERGAIN AR1	4	3	3	4	4	0.44	0.44	0.64	0.45	0.42	0.71	41	AR1	Tetraploid	VL	Germinal PGG	2.5
		BASE AR37	5	4	3	5	4	0.44	0.44	0.64	0.45	0.42	0.71	41	AR37	Tetraploid	VL	Wrightson Seeds	10+
		GOVERNOR AR1	5	5	3	5	5	0.16	0.17	0.31	0.10	0.09	0.75	0	AR1	Diploid	L	Barenbrug	4.5
		GOVERNOR AR37	4	4	3	5	5	0.16	0.17	0.31	0.10	0.09	0.75	0	AR37	Diploid	L	Barenbrug	2.5
		HALO AR37	5	2	2	4	4	0.44	0.44	0.64	0.45	0.42	0.71	41	AR37	Tetraploid	VL	Agricom	10+
		LEGION AR37	5	5	3	5	5	0.16	0.17	0.31	0.10	0.09	0.75	0	AR37	Diploid	L	Agricom PGG	5.0
		PLATFORM AR37	4	4	3	5	5	0.16	0.17	0.31	0.10	0.09	0.75	0	AR37	Diploid	L	Wrightson Seeds	4.5
		SF HUSTLE AR1	5	5	3	5	4	0.16	0.17	0.31	0.10	0.09	0.75	0	AR1	Diploid	L	Seed Force	9.0
TROJAN NEA2	5	5	4	5	4	0.16	0.17	0.31	0.10	0.09	0.75	0	NEA2	Diploid	L	Barenbrug	10+		
★★★★	\$305 to \$423	AVATAR NEA	5	3	1	3	3	0.44	0.44	0.64	0.45	0.42	0.71	41	NEA	Tetraploid	VL	Cropmark Seeds PGG	2.5
		BASE AR1	4	3	2	3	3	0.44	0.44	0.64	0.45	0.42	0.71	41	AR1	Tetraploid	VL	Wrightson Seeds	3.5
		MATRIX SE	4	4	2	4	4	0.16	0.17	0.31	0.10	0.09	0.75	0	SE	Diploid	VL	Cropmark Seeds	10.0
		ONE50 AR1	4	3	2	4	4	0.16	0.17	0.31	0.10	0.09	0.75	0	AR1	Diploid	L	Agricom	10+
		ONE50 AR37	5	3	2	5	5	0.16	0.17	0.31	0.10	0.09	0.75	0	AR37	Diploid	L	Agricom	10+
		PROSPECT AR37	5	4	2	5	4	0.16	0.17	0.31	0.10	0.09	0.75	0	AR37	Diploid	L	Agricom	10+
		RAIDER NEA2	4	4	2	4	4	0.16	0.17	0.31	0.10	0.09	0.75	0	NEA2	Diploid	L	Cropmark Seeds	3.5
ULTRA AR1	5	4	2	4	4	0.16	0.17	0.31	0.10	0.09	0.75	0	AR1	Diploid	L	Cropmark Seeds	10+		
★★★★	\$187 to \$305	ABERMAGIC AR1	3	1	5	4	4	0.16	0.17	0.31	0.10	0.09	0.75	0	AR1	Diploid	L	Germinal PGG	4.5
		EXPO AR1	4	4	2	4	3	0.16	0.17	0.31	0.10	0.09	0.75	0	AR1	Diploid	L	Wrightson Seeds PGG	9.0
		EXPO AR37	5	3	2	3	3	0.16	0.17	0.31	0.10	0.09	0.75	0	AR37	Diploid	L	Wrightson Seeds	3.5
		OHAU AR37	5	4	2	2	2	0.44	0.44	0.64	0.45	0.42	0.71	41	AR37	Tetraploid	L	Agricom	3.5
★★★	\$69 to \$187	ABERGREEN AR1	3	2	4	3	4	0.16	0.17	0.31	0.10	0.09	0.75	0	AR1	Diploid	L	Germinal	8.0
		ROHAN NEA2	4	1	1	3	4	0.16	0.17	0.31	0.10	0.09	0.75	0	NEA2	Diploid	L	Barenbrug	4.0
★	\$-49 to \$69	ABERGREEN WE	1	2	5	3	2	0.16	0.17	0.31	0.10	0.09	0.75	0	WE	Diploid	L	Germinal	3.5
		ABERMAGIC WE	1	1	3	1	2	0.16	0.17	0.31	0.10	0.09	0.75	0	WE	Diploid	L	Germinal	6.5

<sup>1</sup>5 = Top rank, 1 = bottom rank, <sup>2</sup>Winter = Winter dry matter production (May-June), Early Spring = Early spring dry matter production (July-Aug), Late Spring = Late spring dry matter production (Sept-Oct), Summer = Summer dry matter production (Nov-Jan), Autumn = Autumn dry matter production (Feb-Apr), <sup>3</sup>Performance values for ME content are based on average values for the mid heading diploids, late heading diploids, and tetraploid functional group, <sup>4</sup>Persistence scaling factor (scales 3 year trial data by expected yield over a 10-year period for diploids versus tetraploids), <sup>5</sup>Relative renewal cost (relative renewal costs of diploids versus tetraploids, taking into account differences in relative persistence over the long term and costs of renewal), <sup>6</sup>Endophyte, <sup>7</sup>Ploidy (D=diploid, T=tetraploid), <sup>8</sup>Heading date (MS=mid season, L=late, VL=very late), <sup>9</sup>Confidence (based on number of DM trials in the regions weighted by the DM trait correlations). For more information visit [www.dairynz.co.nz/fvi](http://www.dairynz.co.nz/fvi).

---

Cultivars included in the FVI lists without a star rating have enough trials to be eligible for the FVI, however they were excluded from the FVI Star Ratings due to poor performance in those trials.

DairyNZ Limited and its agents and employees ("DairyNZ") provide no assurance or warranty as to the accuracy, completeness or reliability of information in the Forage Value Index or at [dairynz.co.nz/fvi](http://dairynz.co.nz/fvi). DairyNZ has no liability for any reliance on that information.