

Perennial Ryegrass Forage Value List

Upper Sth. Island



Cultivars are sorted by star rating and then alphabetically. Note:

- Perennial ryegrass FVI is calculated using cultivar specific seasonal DM (DM) data, functional group average metabolisable energy (ME) content data and ploidy group average persistence trait data.
- Cultivars with SE are not recommended as they can cause ryegrass staggers in summer and may reduce milksolid production at this time.

DairyNZ[®]
Forage Value Index



Evaluation date: Jan 2020

Filtered by: UPPER SOUTH ISLAND, PERENNIAL RYEGRASS/AR1/AR37/NEA/NEA2/UNKNOWN/WE, DIPLOID/TETRAPLOID, MID/LATE/VERY LATE

FVI ¹ (Star rating)	FVI Star Rating (\$/ha)	Cultivar	Performance Values (1-5 rating) Seasonal dry matter (DM)					Performance Values ³					PERSISTENCE SCALERS/COSTS		Other Cultivar Information				
			Winter	Early Spring	Late Spring	Summer	Autumn	Winter	Early Spring	Late Spring	Summer	Autumn	Persistence Scaler ⁴	Relative renewal cost (\$/ha) ⁵	Endo ⁶	Ploidy ⁷	HD ⁸	Marketer	Conf ⁹
★★★★	\$474 to \$605	ABERGAIN AR1	4	3	3	4	4	0.44	0.44	0.64	0.45	0.42	0.71	41	AR1	Tetraploid	VL	Germinal PGG	2.5
		BASE AR37	5	4	3	5	4	0.44	0.44	0.64	0.45	0.42	0.71	41	AR37	Tetraploid	VL	Wrightson Seeds	10+
		GOVERNOR AR1	5	5	3	5	5	0.16	0.17	0.31	0.10	0.09	0.75	0	AR1	Diploid	L	Barenbrug	4.5
		GOVERNOR AR37	4	4	3	5	5	0.16	0.17	0.31	0.10	0.09	0.75	0	AR37	Diploid	L	Barenbrug	2.5
		HALO AR37	5	2	2	4	4	0.44	0.44	0.64	0.45	0.42	0.71	41	AR37	Tetraploid	VL	Agricom	10+
		LEGION AR37	5	5	3	5	5	0.16	0.17	0.31	0.10	0.09	0.75	0	AR37	Diploid	L	Agricom	5.0
		SF HUSTLE AR1	5	5	3	5	4	0.16	0.17	0.31	0.10	0.09	0.75	0	AR1	Diploid	L	Seed Force	9.0
		TROJAN NEA2	5	5	4	5	4	0.16	0.17	0.31	0.10	0.09	0.75	0	NEA2	Diploid	L	Barenbrug	10+
★★★★	\$343 to \$474	AVATAR NEA	5	3	1	3	3	0.44	0.44	0.64	0.45	0.42	0.71	41	NEA	Tetraploid	VL	Cropmark Seeds PGG	2.5
		BASE AR1	4	3	2	3	3	0.44	0.44	0.64	0.45	0.42	0.71	41	AR1	Tetraploid	VL	Wrightson Seeds	3.5
		OHAU AR37	5	4	2	2	2	0.44	0.44	0.64	0.45	0.42	0.71	41	AR37	Tetraploid	L	Agricom	3.5
		ONE50 AR37	5	3	2	5	5	0.16	0.17	0.31	0.10	0.09	0.75	0	AR37	Diploid	L	Agricom	10+
		PLATFORM AR37	4	4	3	5	5	0.16	0.17	0.31	0.10	0.09	0.75	0	AR37	Diploid	L	Wrightson Seeds	4.5
		PROSPECT AR37	5	4	2	5	4	0.16	0.17	0.31	0.10	0.09	0.75	0	AR37	Diploid	L	Agricom	10+
		RAIDER NEA2	4	4	2	4	4	0.16	0.17	0.31	0.10	0.09	0.75	0	NEA2	Diploid	L	Cropmark Seeds	3.5
		ULTRA AR1	5	4	2	4	4	0.16	0.17	0.31	0.10	0.09	0.75	0	AR1	Diploid	L	Cropmark Seeds	10+
★★★	\$213 to \$343	ABERGREEN AR1	3	2	4	3	4	0.16	0.17	0.31	0.10	0.09	0.75	0	AR1	Diploid	L	Germinal	8.0
		ABERMAGIC AR1	3	1	5	4	4	0.16	0.17	0.31	0.10	0.09	0.75	0	AR1	Diploid	L	Germinal PGG	4.5
		EXCESS AR37	5	4	2	5	5	0.00	0.00	0.00	0.00	0.00	0.75	0	AR37	Diploid	M	Wrightson Seeds PGG	5.1
		EXPO AR1	4	4	2	4	3	0.16	0.17	0.31	0.10	0.09	0.75	0	AR1	Diploid	L	Wrightson Seeds PGG	9.0
		EXPO AR37	5	3	2	3	3	0.16	0.17	0.31	0.10	0.09	0.75	0	AR37	Diploid	L	Wrightson Seeds PGG	3.5
		ONE50 AR1	4	3	2	4	4	0.16	0.17	0.31	0.10	0.09	0.75	0	AR1	Diploid	L	Agricom	10+
		REQUEST AR37	5	5	2	4	4	0.00	0.00	0.00	0.00	0.00	0.75	0	AR37	Diploid	M	Agricom	10+

		SF MOXIE AR1	4	4	3	5	4	0.00	0.00	0.00	0.00	0.00	0.75	0	AR1	Diploid	M	Seed Force	9.0
		ABERGREEN WE	1	2	5	3	2	0.16	0.17	0.31	0.10	0.09	0.75	0	WE	Diploid	L	Germinal PGG	3.5
★ ★	\$82 to \$213	RELY AR37	4	3	3	3	4	0.00	0.00	0.00	0.00	0.00	0.75	0	AR37	Diploid	M	Wrightson Seeds	5.1
		ROHAN NEA2	4	1	1	3	4	0.16	0.17	0.31	0.10	0.09	0.75	0	NEA2	Diploid	L	Barenbrug	4.0
		SAMSON AR37	4	5	2	2	3	0.00	0.00	0.00	0.00	0.00	0.75	0	AR37	Diploid	M	Agricom	4.5
★	\$-49 to \$82	EXCESS AR1	3	3	2	4	3	0.00	0.00	0.00	0.00	0.00	0.75	0	AR1	Diploid	M	PGG Wrightson Seeds	3.5
		NUI	3	3	1	2	3	0.00	0.00	0.00	0.00	0.00	0.75	0	Unknown	Diploid	M	Common	10+
		ABERMAGIC WE	1	1	3	1	2	0.16	0.17	0.31	0.10	0.09	0.75	0	WE	Diploid	L	Germinal PGG	6.5
	\$-150 to \$-49	RELY AR1	4	2	1	3	3	0.00	0.00	0.00	0.00	0.00	0.75	0	AR1	Diploid	M	Wrightson Seeds	5.0
		UNCERTIFIED PERENNIAL RYEGRASS	4	4	1	1	1	0.00	0.00	0.00	0.00	0.00	0.75	0	Unknown	Diploid	M	Common	4.5

¹5 = Top rank, 1 = bottom rank, ²Winter = Winter dry matter production (June-July), ³Early Spring = Early spring dry matter production (Aug-Sept), ⁴Late Spring = Late spring dry matter production (Oct-Nov), ⁵Summer = Summer dry matter production (Dec-Feb), ⁶Autumn = Autumn dry matter production (Mar-May), ⁷Performance values for ME content are based on average values for the mid heading diploids, late heading diploids, and tetraploid functional group, ⁸Persistence scaling factor (scales 3 year trial data by expected yield over a 10-year period for diploids versus tetraploids), ⁹Relative renewal cost (relative renewal costs of diploids versus tetraploids, taking into account differences in relative persistence over the long term and costs of renewal), ¹⁰Endophyte, ¹¹Ploidy (D=diploid, T=tetraploid), ¹²Heading date (MS=mid season, L=late, VL=very late), ¹³Confidence (based on number of DM trials in the regions weighted by the DM trait correlations). For more information visit www.dairynz.co.nz/fvi.

Cultivars included in the FVI lists without a star rating have enough trials to be eligible for the FVI, however they were excluded from the FVI Star Ratings due to poor performance in those trials.

DairyNZ Limited and its agents and employees ("DairyNZ") provide no assurance or warranty as to the accuracy, completeness or reliability of information in the Forage Value Index or at dairynz.co.nz/fvi. DairyNZ has no liability for any reliance on that information.